





ALTURA DE LAS LOSAS	ESPESOR DE LA CUCHILLA	ALTURA TOTAL	ANCHO DE LOS NERVIOS			ÁREA DE SECCIÓN	DISTANCIA DO C. G. A		INERCIA		VOLUMEN VACÍO		PESO PROPIO	VOLUMEN DE HORMIGÓN
			ABAJO	ARRIBA	PORMEDIO		FACE SUPERIOR	FACE INFERIOR	INÉRCIA P/ NERV.	ALTURA EQUIVALENTE				
cm	cm	cm	cm	cm	cm	cm²	cm	cm	cm ⁴	cm	m³	m³/m²	kN /m²	m³/m²
22,5	5,0	27,5	12,5	18,1	15,3	644	9,5	18,0	42351	20,4	0,105	0,156	2,98	0,119
	7,5	30,0				794	10,0	20,0	58776	22,7			3,60	0,144
	10,0	32,5				944	10,7	21,8	72363	24,4			4,23	0,169
32,5	5,0	37,5	12,5	20,6	16,6	838	13,7	23,8	108773	27,9	0,147	0,216	3,98	0,159
	7,5	40,0				988	13,9	26,1	135256	30,0			4,60	0,184
	10,0	42,5				1138	14,4	28,1	164000	32,0			5,23	0,209
42,5	5,0	47,5	12,5	23,1	17,8	1057	18,0	29,5	200453	34,2	0,184	0,272	5,10	0,204
	7,5	50,0				1207	18,1	31,9	249191	36,8			5,73	0,229
	10,0	52,5				1357	18,5	34,0	299250	39,1			6,35	0,254
d1	ds	D	bi	bs	br	A	rs	ri	I	heq	V/V		CONCRETO 25kN/m³	



Media forma (para completar donde no se ajusta la forma entera)

*Complementar con elemento de apoyo de las formas de 7,5 cm de ancho.