



ALTURA DE LAS LOSAS	ESPESOR DE LA CUCHILLA	ALTURA TOTAL	ANCHO DE LOS NERVIOS			ÁREA DE SECCIÓN	DISTANCIA DO C. G. A		INERCIA		VOLUMEN VACÍO		PESO PROPIO	VOLUMEN DE HORMIGÓN
			ABAJO	ARRIBA	PORMEDIO		FACE SUPERIOR	FACE INFERIOR	INERCIA PJ NERV.	ALTURA EQUIVALENTE				
cm	cm	cm	cm	cm	cm	cm²	cm	cm	cm⁴	cm	m³	m³/m²	kN /m²	m³/m²
18,0	5,0	23,0	7,0	9,2	8,1	471	5,9	17,1	16974	14,6	0,058	0,138	2,30	0,092
	7,5	25,5				633	6,6	18,9	23295	16,3			2,93	0,117
	10,0	28,0				796	7,5	20,5	31332	18,0			3,55	0,142
21,0	5,0	26,0	7,0	9,8	8,4	501	6,9	19,1	24728	16,6	0,067	0,159	2,53	0,101
	7,5	28,5				664	7,4	21,1	32901	18,3			3,15	0,126
	10,0	31,0				826	8,2	22,8	42711	19,9			3,78	0,151
26,0	5,0	31,0	7,0	11,6	9,3	567	8,7	22,3	42880	19,9	0,081	0,191	2,98	0,119
	7,5	33,5				729	9,0	24,6	55354	21,7			3,60	0,144
	10,0	36,0				892	9,6	26,4	69257	23,4			4,23	0,169
30,0	5,0	35,0	7,0	13,0	10,0	625	10,2	24,8	62438	22,6	0,091	0,215	3,38	0,135
	7,5	37,5				788	10,3	27,2	79372	24,5			4,00	0,160
	10,0	40,0				950	10,8	29,2	97493	26,2			4,63	0,185
35,0	5,0	40,0	7,0	15,0	11,0	710	12,2	27,8	94580	25,9	0,102	0,241	3,95	0,158
	7,5	42,5				873	12,2	30,3	118568	28,0			4,58	0,183
	10,0	45,0				1035	12,6	32,4	143400	29,8			5,20	0,208
40,0	5,0	45,0	7,0	17,4	12,2	813	14,3	30,7	137193	29,4	0,112	0,264	4,65	0,186
	7,5	47,5				976	14,2	33,3	170025	31,5			5,28	0,211
	10,0	50,0				1138	14,5	35,5	203401	33,5			5,90	0,236
21,0	5,0	26,0	5,0	9,0	7,0	472	6,2	19,8	20508	15,6	0,071	0,167	2,32	0,093
	7,5	28,5				635	6,8	21,7	27369	17,2			2,94	0,118
	10,0	31,0				797	7,7	23,3	35878	18,8			3,57	0,143
d1	ds	D	bi	bs	br	A	rs	ri	I	heq	V/V		CONCRETO 25kN/m³	




atex 650 • pestañas diferentes



Media forma (para completar donde no se ajusta la forma entera)

*Complementar con elemento de apoyo de las formas de 3,0 cm de ancho.

atex 650 • pestañas iguales



*Podemos proveer con recorte 3,5 cm x 3,5 cm para la instalación del puntal fijo (atex 650R)